

Hand-Held Capsule Filling System

For Use in R&D • Pharmacy Compounding • Nutritional Supplements • Clinical Studies





ProFiller 3600 is the only Inox (316 stainless steel) hand-held 300-hole filler that is dishwasher safe & can be used under a powder hood or in a glove box. The Change Parts and Orienter can also be used with the ProFiller 3700 bench-top filler for maximum flexibility.

Easier To Use

- Easier to use than other 200 or 300 hole systems.
- Indicator gauges to assist in capsule orientation, separation and locking.
- Fits under powder hoods and in glove boxes.
- Video tips at <u>www.profiller.com</u>. Well-illustrated manuals.

Pharmacopoeia Compliant

- Fill weights, USP/EP method within ± 1-3% of average. More information at http://www.profiller.com/3fw.
- Validation package available for cGMP compliance.
- Works with all capsules including gelatin, vegetarian/HPMC and starch capsules.

Compatible with Bench-top Filler

- The 3600 grows with your requirements. Get the 3700 Bench-top Filler for larger batches and use the same Change Parts and Orienter purchased for the 3600.
- Continue to use the 3600 Filler Base for smaller batches or production under a powder hood or in a glove box.
- Add a Vibrator at any time.

Up to 4500 to 6900* capsules/hour

*based on powder, operator speed & number of taps/tamps.

Higher Output

- 3600 fully locks capsules after filling, unlike most hand-held fillers - saving you time and frustration!
- Tamper size range optimized for higher fill weights and faster filling.
- Unique features include lightweight 2-piece orienter, orienter locater and oversize Powder Tray & Push Plate.

Faster Size Changes & Cleaning

- Change capsule sizes in only 5 minutes. Change Parts for Size 000-4 & 00el-2el.
- All parts are dishwasher safe. Can be dried in a hot air oven or with a portable hair dryer.
- Designed for fast disassembly & visual verification of cleaning.
- High GMP, all Inox (316 stainless steel).

Exclusive Accessories

- Partial Batch Kit for filling fewer than 300 capsules / batch.
- Capsule Counter.
- Production Stand.
- Over-Encapsulation attachments for tablets, capsules & caplets.
- Over-filling Spacer Plate to make over-filling easier and faster.

Distributed By:	


ProFiller 3600 Brochure 1203

Key Features

For Use in R&D • Pharmacy Compounding • Nutritional Supplements • Clinical Studies

17 design elements that make the ProFiller 3600 the 300-hole Hand-Held Filler of Choice

Shipped Fully Assembled Fully Dishwasher Safe 5 minute Size Changeover





GMP



Speed







Fast action Locking Plate for Caps Tray.



Reinforced stainless steel edges to prevent bending



25-hole Capsule Locker is size-specific. Speeds locking, and prevents over-locking and capsule denting



Locked Capsule Indicator




Capsule Locker position indicators on under side of Caps Tray




Locating holes in Orienter and tapered locating pins for fast & accurate orientation of capsules into Caps Tray



2-piece Orienter. Shake only the lightweight Orienter Tray





Powder Tray is **double depth** & includes indicators for positioning 60-pin Tamper



Powder Tray clamps for pharmacy compounding or filling on optional Vibrator.



Empty Capsule Measuring Bowls (3)



Full size Powder Spreaders (4)



Multi-use Push Plate speeds operations



60-pin Tamper in optimum size ranges **000**, 00, 0-1, 2-3, 4



ProFiller 3600 Brochure 1203 2



ProFiller 3600 Ordering Information

For Use in R&D • Pharmacy Compounding • Nutritional Supplements • Clinical Studies

ProFiller 3600 System



ProFiller 3600					
Capsule Size	Item Number				
00	P6H HHS 00				
0	P6H HHS 0				
1	P6H HHS 1				
2	P6H HHS 2				
3	P6H HHS 3				
4	P6H HHS 4				
000*	P6H HHS 000				
For 00el*, 0el - 2el contact us.					
AAA-D available in ProFiller 3700.					

^{*}Standard 180 hole Filler (192 hole special order).

ProFiller 3600 System includes everything you need to fill one capsule size: Hand-Held Filler Base, Orienter Base, Change Parts for one capsule size, Locking Plate, 60-pin Tamper, Powder Tray, Powder Tray Clamps, Powder Spreaders, Push Plate, Capsule Locker.

Included at no extra charge: a Video CD, illustrated manual, plastic storage box for easy storage of loose items when the machine is not in use, empty and locked Capsule Bins, and a set of empty capsule Measuring Bowls.



ProFiller Optional Vibrator

Optional Vibrator is recommended for faster filling of powders that bridge or are granular, fluid or flour-like. It also reduces weight variation of fine powders.



Item #	Voltage/ Frequency			
PM VIBHH 110	110-120V/50Hz			
PM VIBHH 230	220-240/50 Hz			

ProFiller 3600 Change Parts

	Change Parts	Tamper		
Capsule Size	Item #	Item #		
00*	P6H CPS 00	P6H T60P 00		
0*	P6H CPS 0	P6H T60P 0-1		
1*	P6H CPS 1	P6H T60P 0-1		
2*	P6H CPS 2	P6H T60P 2-3		
3*	P6H CPS 3	P6H T60P 2-3		
4**	P6H CPS 4	P6H T60P 4		
000, 00el - 2el	visit www.profiller.com/3600cps			
5, AAA-E	visit <u>www.profiller.com/3700cps</u>			



- * If you have a 3600 system in Size 4 only, you also need to order an Orienter Base P67 HOB 00-3.
- ** You also need to order an Orienter Base P67 HOB 4-5.
 All Change Parts include a plastic storage box.




ProFiller 3600 Brochure 1203



Hand-Held Capsule Filling System

For Use in R&D • Pharmacy Compounding • Nutritional Supplements • Clinical Studies

Capsule Sizes




Approximate Locked Capsule Sizes (in mm)

*For size 5 ask for information on ProFill 100 or ProFiller 3700.

Weight & Dimensions







Item	Boxes	Shipping Wt.		Net Wt.	
		Kg	Lbs	Kg	Lbs
Complete System P6 with Accessories	Box 1/1	18	40	12	27
Extra Change Parts	Box 1/1	10	22	4.2	9
Extra Tamper	Box 1/1	1	2	0.5	1
Extra Tamper and Orienter Base	Box 1/1	2.5	6	1.7	4
Vibrator MPC6	Box 1/1	8.5	19	6.5	14





Optional Accessories

For Use in R&D • Pharmacy Compounding • Nutritional Supplements • Clinical Studies

	Option	al Accessories			
Item Description			Voltage/Frequency	Capsule Size	Item #
Powder Vibrator Recommended for faster filling of powders that bridge or are granular, fluid or flour-like. It also			110-120 Volts/60Hz	All Sizes	PM VIBHH 110
reduces weight variation of fine powders.			220-240 Volts/50Hz	All Sizes	PM VIBHH 220
Partial Batch Kit Fill fewer than 300 capsules per batch. Includes 1 each of Orienter Divider, Powder Tray Divider & Mini Powder Spreader. Order 30-pin Tamper separately.				All Sizes	P67 PBK
30-pin Tamper For use with ProFiller 3600 Partial Batch Kit. Tamper in Sizes 00, 0-1, 2-3, 4.		- CAMPAGE		00-4	P67 T30P [†]
Production Stand Reduce the space required to operate the ProFiller. The stand organizes and provides easy access to all the loose parts. Stand only. (Parts shown for illustration)				All Sizes	PX STAND
Capsule Counters	The state of the s	Was as			PX CTR 3X100
Divide your batch of capsules into 3 groups of 100 capsules, 5 groups of 60 or 10 groups of 30. Anodized Aluminum	35 E			All Sizes	PX CTR 5X60
	3x100	5x60	10x30		PX CTR 10X30
Caps Tray For 3600 Purchase an additional Caps Tray			Anodized Aluminum*	00-4	P67 CT AA [†]
*Light-weight Anodized Aluminum Caps Tray is not Dishwasher Safe.			Inox (SS316)	00-4	P67 CT SS [†]

[†] Specify Capsule Size when ordering, some accessories are not available for special sizes (000, 5, 00el-2el & AAA-E).

Over-Encapsulation Accessories **Orienter for Capsule-in-Capsule Tablet Fill Attachment Caplet Attachment OE Guide Tray** Over-encapsulate round tablets 6.0-Required for use with Orienter for This allows you to put capsules For caplets or non-round tablets. inside capsules using your existing 7.3 mm diameter and 2.0-3.5 mm height. †† Engineering drawing of tablet Capsule-in-Capsule or Caplet ProFiller System. required. Delivery 4-8 weeks. Attachments.

 $^{^{\}dagger\dagger}$ For round tablets outside this size range, order a custom TFA. Delivery 6-8 weeks.



ProFiller 3600 grows with your requirements. Get the ProFiller 3700 Bench-Top Filler for larger batches and use the same Change Parts & Orienter purchased for the 3600.

You can continue to use the 3600 Filler Base for smaller batches or production under a powder hood or in a glove box. Purchase an additional Orienter Base and have a full second system.

For a video and more information on the ProFiller 3700 visit www.profiller.com/3700



ProFiller 3600 Brochure 1203 5



Frequently Asked Questions

For Use in R&D • Pharmacy Compounding • Nutritional Supplements • Clinical Studies

1. What is the output and why is it faster than other systems?

The ProFiller 3600 fills up to 4500 - 6900 capsules per hour for most powders. Our engineers have included features, some patented, that make the 3600 the fastest and easiest to use 300-hole hand-held filling system on the market. The lower output is for fine powders. The higher output is for coarse free flowing powders. Your results will vary based on the powder flow properties, operator speed & technique and use of excipients.

2. How accurate are fill weights?

Fill weights, USP/EP method, are within ± 1-3% of target. When weighed individually (a stricter standard than USP/EP) typically all 300 capsules/batch are within ± 5-7.5% of target. For more information visit www.profiller.com/3fw.

3. What types of capsules can I fill?

ProFiller 3600 has been tested with different brands and types of capsules including gelatin, vegetarian / HPMC and starch capsules.

4. What size capsules can I fill?

You can fill sizes 000, 00, 0, 1, 2, 3, 4, 00el, 0el, 1el and 2el. If filling more than one capsule size, see page 3 for ordering guidelines.

5. Why Might I Need a different Tamper, Orienter Base or Capsule Locking Plate?

The Tamper, Orienter Base and Capsule Locking Plate are made in capsule "size ranges". If the new Change Parts are within your existing size range, these parts are not needed. If the new capsule size is outside the size range, a new part must be ordered.

6. Can I see the system before I buy?

Yes, you can view our online videos at http://www.profiller.com/3600.

7. How big is the system and how can I store it?

The largest piece is the assembled Filler, which measures for storage approximately $14 \times 9 \times 5$ inches, or $35 \times 23 \times 12$ cm (see page 4). The entire system can fit in one deep desk drawer or 2 regular drawers. Storage boxes for all parts are included with your system.



8. Can I fill sticky powders or liquids?

Yes, you can fill capsules with sticky powders or non-aqueous liquids. When filling sticky powders, use of a Vibrator can improve performance by eliminating Tamper pin contact with powder. For more information visit www.profiller.com/vibrators/use. Capsules filled with liquids for stability or clinical trials, if not sealed, will need to be kept vertical to minimize leakage between the cap and body. Capsules filled with non-aqueous liquids for commercial sale require sealing using equipment purchased separately.

9. Can it be cleaned in an automatic dishwasher or autoclaved?

All parts are dishwasher safe including the Caps Tray and the frame. The Body Sheet set, Caps Tray, Push Plate, Orienter Change Part, Powder Tray, and Tamper are autoclave safe. For more information on cleaning visit www.profiller.com/3600/cmoc.

10. What are the Materials of Construction?

For a full description of the Materials of Construction visit www.profiller.com/3600/cmoc.

11. What are the maintenance requirements?

We recommend daily cleaning and preferably washing of the system to remove any powder. At a minimum, after each use the Body Sheets should be removed and cleaned using a brush, cloth, compressed air or vacuum. The cam, cam hole, and cam bush should be lubricated with a food grade lubricant such as Vaseline.

12. Is there a faster ProFiller available?

Yes. The ProFiller 3700 300-hole bench top model fills 7200 - 9000 capsules per hour. The ProFiller 3700 is suitable for continuous full shift production with less operator fatigue. You can also upgrade the ProFiller 3600 at any time for use with the ProFiller 3700 Filler Base. See page 5 for more information.

13. What are the installation and utility requirements?

No utilities (electricity, compressed air or water) are required unless using the optional Vibrator, which requires 110-120V / 60 Hz or 220-240V / 50Hz.

14. Does the ProFiller 3600 come with a CE certificate?

A "Declaration of Conformity" can be provided on request.



ProFiller 3600 Brochure 1203 6